






GLOBO 25 (LED) design SLIDE Studio











Lampada da tavola
Anno di produzione: 2013
Versioni: luminosa.
Materiali: Polietilene.
Dimensioni Ø 25 h 23,5 cm
Peso: 0,7 Kg
Imballaggio: 27 x 27 x 37 cm
Volume imballaggio: 0,027 m³

Lampe de table
Année de production: 2013
Versions: lumineuse.
Matériaux: Polyéthylène.
Dimensions: Ø 25 h 23,5 cm
Poids: 0,7 Kg
Emballage: 27 x 27 x 37 cm
Volume emballage: 0,027 m³

























Table lamp
Year of production: 2013
Versions: lighting.
Material: Polyethylene.
Dimensions: Ø 25 h 23,5 cm
Weight: 0,7 Kg
Packaging: 27 x 27 x 37 cm
Packaging volume: 0,027 m³

DIMENSIONS (cm)			
CODE	LA SFE025 		
LIGHTING	1x  KIT LED RGB MULTICOLOUR (included). With battery charger and remote control (battery life 8hrs - charging time 6 hrs).		
COLOURS	LIGHTING COLOURS ○ LIGHT WHITE (code LA)		











SYMBOLS

 For indoor use.	 Stackable item.	 Conformity to the European Community instructions.
 For indoor and outdoor use.	 100% recyclable polyethylene.	 Recycling and disposal of electronic waste (WEEE).
 Outdoor version on request (IP55).	 European Community registered model.	

LIGHTING SYMBOLS

 Protected against the intrusion of solid objects $\varnothing > 12$ mm, not against water.	 Standard lamp base for E27 - 27 mm light bulb.	 RGB lighting system.
 Protected against the intrusion of solid objects $\varnothing > 1$ mm and splashing water.	 Lamp base for G4 halogen bulb.	 Item compatible with Candy Light.
 Protected against the intrusion of dust and water jets.	 Lamp base for GU10 spotlight.	 Insulation class 1.
 Fully protected against the intrusion of dust and immersion in water.	 Lamp base for G13 neon tube.	 Insulation class 2.
 Small lamp base for E14 - 14 mm light bulb.	 Neon tube lighting system.	 Insulation class 3.
 Medium lamp base for E26 - 26 mm light bulb.	 LED technology lighting system.	 Device proper to direct assembly onto normally inflammable surfaces.
 Lighting through energy saving bulb. The upper figure shows the number of allowed bulbs. The lower figure shows the MAXIMUM recommended power.		 Lighting through energy saving fluorescent spotlight. The upper figure shows the number of allowed spotlights. The lower figure shows the MAXIMUM recommended power.
 Lighting through neon tube. The upper figure shows the number of allowed neon tubes. The lower figure shows the MAXIMUM recommended power.		 Lighting through energy saving globe bulb. The upper figure shows the number of allowed bulbs. The lower figure shows the MAXIMUM recommended power.
 Lighting through flexible LED tube. The lower figure shows the MAXIMUM recommended power.		 Lighting through circular T9 neon tube. The upper figure shows the number of allowed neon tubes. The lower figure shows the MAXIMUM recommended power.

WIRING SYMBOLS

 Wiring with metal clamp. IP20 protection. Diameter 11 cm.	 Wiring with special base for KIT LED 3 WATT. IP55 protection. Diameter 11,6 cm.
 Wiring with metal base. IP55 protection. Diameter 10 cm. Fastening by hex screw key.	 Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 6 cm.
 Wiring with metal base. IP55 protection. Diameter 20 cm. Fastening by hex screw key.	 Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 10 cm.
 Wiring with plastic base and metal inserts. I2 - IP20 protection. E2 - IP55 protection. Diameter 10 cm. Fastening by slot screwdriver.	 Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 15 cm.
 Wiring with plastic base and LED CANDY LIGHT. IP44 protection. Diameter 10 cm.	 Special metal base. IP20 protection. Several sizes.

MATERIAL PROPERTIES

Material: Linear low-density polyethylene - LLDPE.

Production process: rotational moulding.

Resistant to extreme temperatures (-60°C to +80°C).

UV resistant (except for lighting colours).

High tensile strength.

WARNING

- Keep away from excessive heat sources.
- Avoid any improper use. Do not stand on the products. When the product has to be moved, lift the product off the ground in order to avoid damage.
- Do not overload the pot structure in order to avoid deforming.
- Carefully comply with the maintenance & cleaning instructions.
- In case of malfunctioning or damage of the wiring or any electrical parts, refer to a qualified electrician.

MAINTENANCE & CLEANING

- To prevent dust and dirt from sticking to the plastic surfaces, periodically clean the products with a damp cloth and neutral liquid soap diluted in water.
- Avoid using ethanol or any liquids containing, even in small amounts, acetone, trichloroethylene or ammonia (solvents in general).
- It is recommended the use of SLIDE's "CleanUp" cleaner or a degreaser. Spray the cleaning product on the surface, rub with a damp cloth and rinse abundantly with water (preferably with a high pressure washer). In case of persistent stains use a high pressure washer or scrub eraser. The use of the scrub eraser (melamine foam - Scotch-Brite® Easy Eraser or similar) is only recommended for white colour, as they are slightly abrasive.
- The lacquered version is also suitable for outdoor use, however it is more sensitive to scratches: periodically clean with a polish cleaner, gently rubbing with soft cloth/cotton wool.
- Cushions can be cleaned with a damp cloth, neutral liquid soap and water.
- For metal parts use specific cleaners.

SUSTAINABILITY & RECYCLING

All SLIDE products are 100% recyclable. Furthermore, grey, black and chocolate matt colours are produced with recycled polyethylene. SLIDE has a closed production cycle with no health prejudicial emissions and complying with ecological sustainability rules.

When a product reaches the end of its life, do not treat the product or any of its parts as domestic waste. Dispose by sending to differentiated collection centres.

RESPONSIBILITY & RETURNS

SLIDE declines any liability to damages caused to things or persons by an illegitimate use of the product. SLIDE won't accept any returned goods without having checked the kind of defects first.

WARRANTY

SLIDE products are guaranteed against all manufacturing faults, granted that the items are appropriately used, for twenty-four (24) months from the date of purchase upon presentation of the invoice.

LED KITS only are guaranteed for twelve (12) months from the date of purchase.

Warranty doesn't include parts that are subject to wear and tear due to usage, batteries when provided, wiring and electrical parts that do not have manufacturing faults.




























GLOBO 30 design SLIDE Studio



Lampada da terra / tavolo
Anno di produzione: 1999
Versioni: luminosa.
Materiali: Polietilene.
Dimensioni: Ø 30 cm
Peso: 1,2 Kg
Imballaggio: 31 x 31 x 31 cm
Volume imballaggio: 0,03 m³

Lampe de sol / de table
Année de production: 1999
Versions: lumineuse.
Matériaux: Polyéthylène.
Dimensions: Ø 30 cm
Poids: 1,2 Kg
Emballage: 31 x 31 x 31 cm
Volume emballage: 0,03 m³

Floor lamp / table lamp
Year of production: 1999
Versions: lighting.
Material: Polyethylene.
Dimensions: Ø 30 cm
Weight: 1,2 Kg
Packaging: 31 x 31 x 31 cm
Packaging volume: 0,03 m³

DIMENSIONS (cm)	<div><div><div></div><div>30</div><div></div></div><div><div></div><div>7,6</div><div></div></div></div> <td><div><div><div></div><div>30</div><div></div></div><div><div></div><div>10</div><div></div></div></div><td><div><div><div></div><div>30</div><div></div></div><div><div></div><div>7,6</div><div></div></div></div></td></td>	<div><div><div></div><div>30</div><div></div></div><div><div></div><div>10</div><div></div></div></div> <td><div><div><div></div><div>30</div><div></div></div><div><div></div><div>7,6</div><div></div></div></div></td>	<div><div><div></div><div>30</div><div></div></div><div><div></div><div>7,6</div><div></div></div></div>
CODE	<div><div>LP SFE030 lighting IN</div><div></div></div> <div><div>LP SFF030 lighting OUT</div><div></div></div>	<div><div>LP SFE032 lighting IN</div><div></div></div> <div><div>LP SFF032 lighting OUT</div><div></div></div>	<div><div>LA SFE030 lighting LED</div><div></div></div>
LIGHTING	<div><div><div><div>1x</div></div><div><div>IP20</div></div></div><div><div><div>1x</div></div><div><div>IP55*</div></div></div><div><div>* Note: earth spike included</div></div></div>	<div><div><div><div>1x</div></div><div><div>E3/I3 MEDIUM</div></div></div><div><div>Note: earth spike on demand</div></div></div>	<div><div>KIT LED 3W RGB MULTICOLOUR (included).</div><div>With battery charger and remote control (battery life 8hrs - charging time 10 hrs).</div></div>
	<div><div><div><div>1x</div><div></div><div>15W</div></div></div></div>	<div><div>Energy saving bulb recommended (not included).</div></div>	
COLOURS	<div><div>LIGHTING</div><div><div><div></div></div><div>LIGHT WHITE (code LA)</div></div><div><div>GLOSSY FINISH</div></div></div>	<div><div>LIGHTING</div><div><div><div></div></div><div>LIGHT WHITE (code LA)</div></div><div><div>MATT FINISH</div></div></div>	<div><div>LED VERSION</div><div><div><div></div></div><div>LIGHT WHITE (code LA)</div></div><div><div>MATT FINISH</div></div></div>



GLOBO 40 design SLIDE Studio




Lampada da terra / tavolo
Anno di produzione: 2001
Versioni: luminosa.
Materiali: Polietilene.
Dimensioni: Ø 40 cm
Peso: 2 Kg
Imballaggio: 41 x 41 x 41 cm
Volume imballaggio: 0,069 m³

Lampe de sol / de table
Année de production: 2001
Versions: lumineuse.
Matériaux: Polyéthylène.
Dimensions: Ø 40 cm
Poids: 2 Kg
Emballage: 41 x 41 x 41 cm
Volume emballage: 0,069 m³

Floor lamp / table lamp
Year of production: 2001
Versions: lighting.
Material: Polyethylene.
Dimensions: Ø 40 cm
Weight: 2 Kg
Packaging: 41 x 41 x 41 cm
Packaging volume: 0,069 m³

DIMENSIONS (cm)			
CODE	LP SFE040 lighting IN LP SFF040 lighting OUT	LP SFE042 lighting IN LP SFF042 lighting OUT	LB SFE040 lighting LED
LIGHTING	1x I1 IP20 1x E1 IP55* * Note: earth spike included	 1x E3/I3 MEDIUM Note: earth spike on demand	KIT LED 3W RGB MULTICOLOUR (included). With battery charger and remote control (battery life 8hrs - charging time 10 hrs).
COLOURS	LIGHTING ○ LIGHT WHITE (code LA) <u>GLOSSY FINISH</u>	LIGHTING ○ LIGHT WHITE (code LA) <u>MATT FINISH</u>	LED VERSION ○ LIGHT WHITE (code LA) <u>MATT FINISH</u>



GLOBO 50 design SLIDE Studio



Lampada da terra

Anno di produzione: 2001

Versioni: luminosa.

Materiali: Polietilene.

Dimensioni: Ø 50 cm

Peso: 3,5 Kg

Imballaggio: 51 x 51 x 51 cm

Volume imballaggio: 0,133 m³

Lampe de sol

Année de production: 2001

Versions: lumineuse.

Matériaux: Polyéthylène.

Dimensions: Ø 50 cm

Poids: 3,5 Kg

Emballage: 51 x 51 x 51 cm

Volume emballage: 0,133 m³

Floor lamp

Year of production: 2001

Versions: lighting.

Material: Polyethylene.

Dimensions: Ø 50 cm

Weight: 3,5 Kg


Packaging: 51 x 51 x 51 cm

Packaging volume: 0,133 m³

DIMENSIONS (cm)			
CODE	<p>LP SFE050 lighting IN </p> <p>LP SFF050 lighting OUT </p>	<p>LP SFE052 lighting IN </p> <p>LP SFF052 lighting OUT </p>	<p>LB SFE050 lighting LED </p>
LIGHTING	<p>1x IP20</p> <p>1x IP55*</p> <p>* Note: earth spike included</p>	<p>1x E3/I3 MEDIUM</p> <p>Note: earth spike on demand</p>	<p>KIT LED 3W RGB MULTICOLOUR (included).</p> <p>With battery charger and remote control (battery life 8hrs - charging time 10 hrs).</p>
COLOURS	<p>LIGHTING</p> <p>○ LIGHT WHITE (code LA)</p> <p><u>GLOSSY FINISH</u></p>	<p>LIGHTING</p> <p>○ LIGHT WHITE (code LA)</p> <p><u>MATT FINISH</u></p>	<p>LED VERSION</p> <p>○ LIGHT WHITE (code LA)</p> <p><u>MATT FINISH</u></p>



Energy saving bulb recommended (not included).
















GLOBO 60 design SLIDE Studio




Lampada da terra
Anno di produzione: 2000
Versioni: luminosa.
Materiali: Polietilene.
Dimensioni: Ø 60 cm
Peso: 4,7 Kg
Imballaggio: 61 x 61 x 61 cm
Volume imballaggio: 0,227 m³

Lampe de sol
Année de production: 2000
Versions: lumineuse.
Matériaux: Polyéthylène.
Dimensions: Ø 60 cm
Poids: 4,7 Kg
Emballage: 61 x 61 x 61 cm
Volume emballage: 0,227 m³

Floor lamp
Year of production: 2000
Versions: lighting.
Material: Polyethylene.
Dimensions: Ø 60 cm
Weight: 4,7 Kg
Packaging: 61 x 61 x 61 cm
Packaging volume: 0,227 m³

DIMENSIONS (cm)			
CODE	<p>LP SFE060 lighting IN   IP20</p> <p>LP SFF060 lighting OUT   IP55</p>	<p>LP SFE062 lighting IN   IP20</p> <p>LP SFF062 lighting OUT   IP55</p>	
LIGHTING	<p>1x  IP20</p> <p>1x  IP55*</p> <p>* Note: earth spike included</p>	<p></p> <p>1x </p> <p>Note: earth spike on demand</p>	
	<p>1x  25W</p> <p>Energy saving bulb recommended (not included).</p>		
COLOURS	<p>LIGHTING</p> <p>○ LIGHT WHITE (code LA)</p> <p><u>GLOSSY FINISH</u></p>	<p>LIGHTING</p> <p>○ LIGHT WHITE (code LA)</p> <p><u>MATT FINISH</u></p>	



GLOBO 70 design SLIDE Studio



Lampada da terra

Anno di produzione: 2001

Versions: luminosa.

Materiali: Polietilene.

Dimensioni: Ø 70 cm

Peso: 7,2 Kg

Imballaggio: 71 x 71 x 71 cm

Volume imballaggio: 0,358 m³

Lampe de sol

Année de production: 2001

Versions: lumineuse.

Matériaux: Polyéthylène.

Dimensions: Ø 70 cm

Poids: 7,2 Kg

Emballage: 71 x 71 x 71 cm

Volume emballage: 0,358 m³

Floor lamp

Year of production: 2001

Versions: lighting.














Material: Polyethylene.


Dimensions: Ø 70 cm

Weight: 7,2 Kg

Packaging: 71 x 71 x 71 cm

Packaging volume: 0,358 m³

DIMENSIONS (cm)			
CODE	<p>LP SFE070 lighting IN  </p> <p>LP SFF070 lighting OUT  </p>	<p>LP SFE072 lighting IN  </p> <p>LP SFF072 lighting OUT  </p>	
LIGHTING	<p>1x  IP20</p> <p>1x  IP55*</p> <p>* Note: earth spike included</p>	<p></p> <p>1x </p> <p>Note: earth spike on demand</p>	
	<p>1x  65W</p> <p>Energy saving bulb recommended (not included).</p>		
COLOURS	<p>LIGHTING</p> <p>○ LIGHT WHITE (code LA)</p> <p><u>GLOSSY FINISH</u></p>	<p>LIGHTING</p> <p>○ LIGHT WHITE (code LA)</p> <p><u>MATT FINISH</u></p>	



GLOBO 80 design SLIDE Studio



Lampada da terra

Anno di produzione: 2007

Versions: luminosa.

Materiali: Polietilene.

Dimensioni: Ø 80 cm

Peso: 8 Kg

Imballaggio: 81 x 81 x 81 cm

Volume imballaggio: 0,531 m³

Lampe de sol

Année de production: 2007

Versions: lumineuse.

Matériaux: Polyéthylène.

Dimensions: Ø 80 cm

Poids: 8 Kg

Emballage: 81 x 81 x 81 cm

Volume emballage: 0,531 m³

Floor lamp

Year of production: 2007

Versions: lighting.













Material: Polyethylene.


Dimensions: Ø 80 cm

Weight: 8 Kg

Packaging: 81 x 81 x 81 cm

Packaging volume: 0,531 m³

DIMENSIONS (cm)					
	<p>80</p> <p>7,6</p>		<p>80</p> <p>15</p>		
CODE	<p>LP SFE080 lighting IN   IP20</p> <p>LP SFF080 lighting OUT   IP55</p>		<p>LP SFE082 lighting IN   IP20</p> <p>LP SFF082 lighting OUT   IP55</p>		
LIGHTING	<p>1x  IP20</p> <p>1x  IP55*</p> <p>* Note: earth spike included</p>		<p> E3/I3 LARGE</p> <p>Note: earth spike on demand</p>		
	<p>1x  65W</p>		<p>Energy saving bulb recommended (not included).</p>		
COLOURS	<p>LIGHTING</p> <p>○ LIGHT WHITE (code LA)</p> <p><u>GLOSSY FINISH</u></p>		<p>LIGHTING</p> <p>○ LIGHT WHITE (code LA)</p> <p><u>MATT FINISH</u></p>		



GLOBO 120 design SLIDE Studio




Lampada da terra
 Anno di produzione: 2003
 Versioni: luminosa.
 Materiali: Polietilene.
 Dimensioni: Ø 120 cm
 Peso: 25 Kg
 Imballaggio: 122 x 122 x 122 cm
 Volume imballaggio: 1,815 m³

Lampe de sol
 Année de production: 2003
 Versions: lumineuse.
 Matériaux: Polyéthylène.
 Dimensions: Ø 120 cm
 Poids: 25 Kg
 Emballage: 122 x 122 x 122 cm
 Volume emballage: 1,815 m³

Floor lamp
 Year of production: 2003
 Versions: lighting.
 Material: Polyethylene.
 Dimensions: Ø 120 cm
 Weight: 25 Kg
 Packaging: 122 x 122 x 122 cm
 Packaging volume: 1,815 m³

DIMENSIONS (cm)			
CODE		LP SFE122 lighting IN LP SFF122 lighting OUT	
LIGHTING		1x Note: earth spike on demand	
		1x 105W Energy saving bulb recommended (not included).	
COLOURS		LIGHTING ○ LIGHT WHITE (code LA) <u>MATT FINISH</u>	



GLOBO 200 design SLIDE Studio



Lampada da terra
 Anno di produzione: 2004
 Versioni: luminosa.
 Materiali: Polietilene.
 Dimensioni: Ø 200 cm
 Peso: 93 Kg
 Imballaggio: 202 x 202 x 249 cm
 Volume imballaggio: 10,16 m³
 Note: imballaggio senza scatola.

Lampe de sol
 Année de production: 2004
 Versions: lumineuse.
 Matériaux: Polyéthylène.
 Dimensions: Ø 200 cm
 Poids: 93 Kg
 Emballage: 202 x 202 x 249 cm
 Volume emballage: 10,16 m³
 Note: pas de boîte d'emballage.

Floor lamp
 Year of production: 2004
 Versions: lighting.
 Material: Polyethylene.
 Dimensions: Ø 200 cm
 Weight: 93 Kg
 Packaging: 202 x 202 x 249 cm
 Packaging volume: 10,16 m³
 Note: no box packaging.

DIMENSIONS (cm)			
CODE	LP SFF200 lighting OUT		
LIGHTING	1x Note: earth spike included		
	 1x 185W	Energy saving bulb recommended (not included).	
COLOURS	LIGHTING ○ LIGHT WHITE (code LA) <u>GLOSSY FINISH</u>		



GLOBO COMPONENTS



DIMENSIONS (cm) - CODE - COLOURS

EARTH SPIKE

Material: steel silver.

Weight: 0,5 Kg

Note: included.

LP PIC003





TRACK FOR EARTH SPIKE

Material: steel silver.

Weight: 0,5 Kg

Note: not included.

LP TUB001




EARTH SPIKE

Material: steel silver.

Weight: 0,1 Kg

Note: not included.

LP TUB002





METAL RING (for Globo 60, 70, 80)

Material: steel silver.









Weight: 0,8 Kg

Note: not included.

























LP RIN300













SYMBOLS

 For indoor use.	 Stackable item.	 Conformity to the European Community instructions.
 For indoor and outdoor use.	 100% recyclable polyethylene.	 Recycling and disposal of electronic waste (WEEE).
 Outdoor version on request (IP55).	 European Community registered model.	

LIGHTING SYMBOLS

 Protected against the intrusion of solid objects $\varnothing > 12$ mm, not against water.	 Standard lamp base for E27 - 27 mm light bulb.	 RGB lighting system.
 Protected against the intrusion of solid objects $\varnothing > 1$ mm and splashing water.	 Lamp base for G4 halogen bulb.	 Item compatible with Candy Light.
 Protected against the intrusion of dust and water jets.	 Lamp base for GU10 spotlight.	 Insulation class 1.
 Fully protected against the intrusion of dust and immersion in water.	 Lamp base for G13 neon tube.	 Insulation class 2.
 Small lamp base for E14 - 14 mm light bulb.	 Neon tube lighting system.	 Insulation class 3.
 Medium lamp base for E26 - 26 mm light bulb.	 LED technology lighting system.	 Device proper to direct assembly onto normally inflammable surfaces.
 Lighting through energy saving bulb. The upper figure shows the number of allowed bulbs. The lower figure shows the MAXIMUM recommended power.		 Lighting through energy saving fluorescent spotlight. The upper figure shows the number of allowed spotlights. The lower figure shows the MAXIMUM recommended power.
 Lighting through neon tube. The upper figure shows the number of allowed neon tubes. The lower figure shows the MAXIMUM recommended power.		 Lighting through energy saving globe bulb. The upper figure shows the number of allowed bulbs. The lower figure shows the MAXIMUM recommended power.
 Lighting through flexible LED tube. The lower figure shows the MAXIMUM recommended power.		 Lighting through circular T9 neon tube. The upper figure shows the number of allowed neon tubes. The lower figure shows the MAXIMUM recommended power.

WIRING SYMBOLS

 Wiring with metal clamp. IP20 protection. Diameter 11 cm.	 Wiring with special base for KIT LED 3 WATT. IP55 protection. Diameter 11,6 cm.
 Wiring with metal base. IP55 protection. Diameter 10 cm. Fastening by hex screw key.	 Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 6 cm.
 Wiring with metal base. IP55 protection. Diameter 20 cm. Fastening by hex screw key.	 Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 10 cm.
 Wiring with plastic base and metal inserts. I2 - IP20 protection. E2 - IP55 protection. Diameter 10 cm. Fastening by slot screwdriver.	 Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 15 cm.
 Wiring with plastic base and LED CANDY LIGHT. IP44 protection. Diameter 10 cm.	 Special metal base. IP20 protection. Several sizes.

MATERIAL PROPERTIES

Material: Linear low-density polyethylene - LLDPE.

Production process: rotational moulding.

Resistant to extreme temperatures (-60°C to +80°C).

UV resistant (except for lighting colours).

High tensile strength.

WARNING

- Keep away from excessive heat sources.
- Avoid any improper use. Do not stand on the products. When the product has to be moved, lift the product off the ground in order to avoid damage.
- Do not overload the pot structure in order to avoid deforming.
- Carefully comply with the maintenance & cleaning instructions.
- In case of malfunctioning or damage of the wiring or any electrical parts, refer to a qualified electrician.

MAINTENANCE & CLEANING

- To prevent dust and dirt from sticking to the plastic surfaces, periodically clean the products with a damp cloth and neutral liquid soap diluted in water.
- Avoid using ethanol or any liquids containing, even in small amounts, acetone, trichloroethylene or ammonia (solvents in general).
- It is recommended the use of SLIDE's "CleanUp" cleaner or a degreaser. Spray the cleaning product on the surface, rub with a damp cloth and rinse abundantly with water (preferably with a high pressure washer). In case of persistent stains use a high pressure washer or scrub eraser. The use of the scrub eraser (melamine foam - Scotch-Brite® Easy Eraser or similar) is only recommended for white colour, as they are slightly abrasive.
- The lacquered version is also suitable for outdoor use, however it is more sensitive to scratches: periodically clean with a polish cleaner, gently rubbing with soft cloth/cotton wool.
- Cushions can be cleaned with a damp cloth, neutral liquid soap and water.
- For metal parts use specific cleaners.

SUSTAINABILITY & RECYCLING

All SLIDE products are 100% recyclable. Furthermore, grey, black and chocolate matt colours are produced with recycled polyethylene. SLIDE has a closed production cycle with no health prejudicial emissions and complying with ecological sustainability rules.

When a product reaches the end of its life, do not treat the product or any of its parts as domestic waste. Dispose by sending to differentiated collection centres.

RESPONSIBILITY & RETURNS

SLIDE declines any liability to damages caused to things or persons by an illegitimate use of the product. SLIDE won't accept any returned goods without having checked the kind of defects first.

WARRANTY

SLIDE products are guaranteed against all manufacturing faults, granted that the items are appropriately used, for twenty-four (24) months from the date of purchase upon presentation of the invoice.

LED KITS only are guaranteed for twelve (12) months from the date of purchase.

Warranty doesn't include parts that are subject to wear and tear due to usage, batteries when provided, wiring and electrical parts that do not have manufacturing faults.